In the Claims:

Please amend claim 14 in the list of pending claims shown below. All pending claims are reproduced below, including those that remain unchanged. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1.   (Previously Presented) A computer-implemented method for virtual street addressing, comprising:

in a computer, identifying a centroid;

defining a plurality of radials extending from said centroid; and

associating at least one data item relating to said centroid with each of said plurality of radials.

2.   (Canceled)

3.   (Previously Presented) A computer-implemented method for virtual street addressing, comprising:

in a computer, identifying a centroid;

defining a plurality of radials extending from said centroid;

associating at least one data item relating to said centroid with each of said plurality of radials;

interpolating positions on a respective radial, each said position corresponding to a given location; and

placing a marker at each interpolated position of the displayed respective radial.

4.   (Previously Presented) The computer-implemented method according to claim 3, wherein said marker is any of a point, notch, and icon representation of information associated with each outside data match.

5.   (Canceled)

2

6.   (Previously Presented) A computer-implemented method for virtual street addressing, comprising:

in a computer, identifying a centroid, wherein said identifying a centroid includes:

identifying said centroid in a database;

defining a plurality of radials extending from said centroid;

associating at least one data item relating to said centroid with each of said plurality of radials, wherein said associating comprises:

associating information in said database with said plurality of radials, said information relating to said centroid; and

storing said plurality of radials in a database.

7.   (Previously Presented) The computer-implemented method according to claim 6, wherein said database is a geocoded database of mapping information, and said data items are locations within an area associated with said centroid.

8.   (Previously Presented) The computer-implemented method according to claim 6, wherein said database is a database of satellite information, said centroid represents a position on a globe, and said data items are satellites orbiting above an approximate position of said centroid.

9.   (Previously Presented) The computer-implemented method according to claim 8, wherein each of the plurality of radials identifies at least one feature of at least one of said satellites.

10.   (Previously Presented) The computer-implemented method according to claim 6, further comprising:

matching outside data to information associated with said data items; and

displaying each radial having associated information that matches said outside data.

11.   (Previously Presented) The computer-implemented method according to claim 10, wherein said outside data is location information of data stored in said database.

3

12.   (Previously Presented) A computer-implemented method for virtual street addressing, comprising:

in a computer, identifying a centroid;

defining a plurality of radials extending from said centroid, wherein said defining a plurality of radials comprises:

assigning a direction to each respective radial;

associating at least one data item relating to said centroid with each of said plurality of radials, and

calculating an endpoint for each respective radial, defining each respective radial from said centroid to its endpoint.

13.   (Previously Presented) The computer-implemented method according to claim 12, wherein said determining a direction of said radial comprises:

assigning a direction to each respective radial based on at least one of information and features of the data item associated with the respective radial.

14.   (Currently Amended) The computer-implemented method according to claim 13, wherein said information and features is at least one of a margin of error with which said centroid identifies a location corresponding to said data item, facilities, including any one of parking, food, and communications associated with said data item, and any other information or features related to said data item.

15.   (Previously Presented) A computer-implemented method for virtual street addressing, comprising:

in a computer, identifying a centroid;

defining a plurality of radials extending from said centroid; and

associating at least one data item relating to said centroid with each of said plurality of radials, wherein each data item is a location within an area associated with said centroid.

4

16.   (Previously Presented) The computer-implemented method according to claim 15, wherein each radial identifies a location within an area of said centroid, and a proximity of said location to said centroid.

17-19. (Canceled)